

ELECTRIC SPRAYERS

Graco's Complete Line of Professional Electric Airless Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.



THERE IS NOTHING LIKE A GRACO ELECTRIC SPRAYER

Experienced contractors know the difference. Graco professional electric sprayers are solid investments that perform reliably, year after year.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality electric airless sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional electric sprayers are manufactured, assembled and supported in the USA.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never use Graco's warranty — but if you do, we will be there.



GRACO-ONLY SOLUTIONS THAT KEEP YOU SPRAYING



PATENTE

THE LONGEST LASTING PUMPS EVER BUILT

- Longest life in the industry with Vortex[™] rotating piston rod
- 6X more gallons sprayed between repacks
- Extends pump rod life by 3X delivering the industry's lowest cost of ownership



PATENT PENDING

STREAMLINE YOUR BUSINESS WITH BLUELINKTM

- Track every sprayer exact location and hourly productivity
- Know job progress on-demand productivity facts and reporting from anywhere
- Maximize uptime set maintenance schedules, alerts, and jobsite notes



PATENTED

THE EASIEST MAINTENANCE

- Swap your pump in minutes with no tools
- Eliminate costly jobsite downtime
- Easier and faster than ever to service your sprayer

SMARTCONTROL™

GRACO EXCLUSIVE

PRECISION SPRAYING CONTROL

- Precision pressure control that delivers a consistent spray fan without pressure fluctuations
- Ideal for Low Pressure tips commonly used for fine finish work and low overspray applications
- Monitors sprayer gallons, hours, and spray pressure

CORDLESS

PATENT PENDING

EXCLUSIVE BREAKTHROUGH CORDLESS TECHNOLOGY

- Highest performance cordless sprayer every built
- Spray up to 6 gallons before charging. Includes 2 DEWALT® FlexVolt® batteries for all day spraying.
- Expanded application capability with freedom from power cords, outlets and generators



GRACO EXCLUSIVE

EASY HOSE MANAGEMENT

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel



BREAKTHROUGH ENDURANCE™ VORTEX MAXLIFE® AND MAXLIFE EXTREME™ TECHNOLOGY (PATENTED)

THE LONGEST LASTING PUMPS EVER BUILT



Endurance **Chromex**™ Pump Lasts 2X longer than competing pumps



MaxLife Pump 6X longer between repacks

SPRAYS THE WIDEST RANGE OF COATINGS • Oversized clearances for maximum performance

• Maximum flow with heavy materials

Repack the entire pump in minutes

ProConnect™ 2 Pump Replacement

QuikAccess™ Intake Foot Valve

QuikPak™ Cartridge System

EASIEST SERVICE IN THE INDUSTRY

• Complete no-tools pump replacement system

• Clear debris faster with easy inlet ball access



MaxLife Extreme Pump Extends pump rod life by 3X delivering the industry's lowest cost of ownership





VORTEX ROTATING PISTON TECHNOLOGY KEEPS YOU SPRAYING

PATENT PENDING

Built with Graco exclusive EXTREME ROD that is an abrasion-resistant composite to deliver the most durable. hardest wear surface possible

6X more gallons sprayed between repacks — Extreme Composite extends pump rod life by 3X, delivering the industry's lowest cost of ownership



WEAR SURFACE

Delivers the longest pump life





Rotating rod for

extended life

HELICAL DESIGN

Delivers high-velocity flow to rotate pump rod as you spray





REPAIR (PATENT PENDING)







NEW WAY

Modular pre-oiled cartridge packings install correctly every time











1) Insert pre-oiled packing cartridge assembly

2) Remove disposable clip

3) Assemble pump

QuikPak available on Ultra Max™ II 695-1595 Sprayers.

STAY IN CONTROL WITH BLUELINK

BlueLink connects the people and equipment that drive your business in a completely new way. Whether on the jobsite, at the office, or anywhere in between, BlueLink provides the critical information you need every day — including real-time jobsite access, instant maintenance alerts, on-demand productivity reports and much more!



HOW IT WORKS:



DATA IS STORED ON YOUR SPRAYER




AUTOMATICALLY UPDATES EACH TIME YOUR EMPLOYEES ARE NEAR THE SPRAYER



3 EVDERIE

EXPERIENCE PROFIT DRIVING RESULTS THROUGH BETTER JOB MANAGEMENT

- FREE TO USE NO MONTHLY FEES
- * INCLUDED ON ALL ULTRA MAX II 695-1595 MODELS
- SELECT FROM 13 LANGUAGES



KNOW JOB PROGRESS

Monitor hourly productivity to ensure job is on-time with the needed materials

Make fewer trips to jobsites

| STANTIONY | STANTION |

COMPANY SPRAYERS

LOCATE EVERY SPRAYER


Know exact locations of your sprayers and hourly productivity

MAXIMIZE UPTIME

Monitor preventative maintenance schedules and receive alerts

Access to complete historical maintenance records on every sprayer

Easily look up service parts on your sprayer with Graco PartsBook!



GET STARTED TODAY

Get BlueLink working for your business today.

Download the BlueLink app now!





CHOOSE THE RIGHT ELECTRIC SPRAYER

Our mission is to fit you to the sprayer that is sized for the work you do to get the job done right, every time.

CURRENT AND FUTURE JOBSITE FACTS TO CONSIDER WHEN SELECTING YOUR GRACO ELECTRIC SPRAYER:

- How many gallons per week will you spray?
- What hose lengths will you use?
- How many guns will you use? What tip sizes?
- What types of materials will you spray?
- What types of jobs will you bid?
- What power source do you have available?



FIND THE SPRAYER THAT FITS

		Ultra Max II 490 PC Pro	STANDARD PROCONTRACTOR™	STANDARD PROCONTRACTOR IRONMAN	
RECOMMENDED SPRAYER	390™ PC Corded NEW! 390 PC Cordless Ultra® 395 PC	Ultra Max II 495 PC Pro Ultra Max II 595 PC Pro Ultra Max II 650 PC Pro	Ultra Max II 695 Ultra Max II 795	Ultra Max II 1095 Ultra Max II 1595	
	LOW Up to 50 gallons per week	MEDIUM 50-100 gallons per week	HIGH 100-200 gallons per week	HIGH Over 200 gallons per week	
PRODUCTION NEEDS	LOW / MEDIUM Up to 200 ft of hose	LOW / MEDIUM Up to 200 ft of hose	HIGH Up to 300 ft of hose	HIGH Up to 300 ft of hose	
	LOW 1 gun Up to 0.023 tip / Up to 0.54 gpm	MEDIUM 2 guns Up to 0.029 tip / Up to 0.80 gpm	HIGH Up to 2 guns Up to 0.033 tip / Up to 1.10 gpm	HIGHEST Up to 3 guns Up to 0.039 tip / Up to 1.35 gpm	
JOB TYPES	LIGHT Small Residential, Repaint/ Remodel, Property Maintenance	LIGHT / MEDIUM Medium Residential, Repaint/Remodel, Property Maintenance, Light Commercial	LIGHT / HEAVY Interior/Exterior, Residential, Light Commercial	HEAVY DUTY Exterior Residential, Heavy Commercial, Industrial	
MATERIALS	LIGHT Lacquers and Stains, Interior/Exterior Latex, Enamels, Acrylics	LIGHT / MEDIUM Lacquers and Stains, Interior/ Exterior Latex, Enamels, Acrylics, Oil-Based Primers	LIGHT / HEAVY Interior/Exterior Latex, Oil-Based Primers, Acrylics, Block Fillers	HEAVY DUTY Interior/Exterior Latex, Oil-Based Primers, Epoxies, Block Fillers, Dryfall, Elastomerics	
POWER SOURCE	Select Models available in Corded & Cordless	Corded	Corded	Corded	

SMALL ELECTRIC SPRAYERS

SMALL SIZE, LARGE CAPABILITY—NOW AVAILABLE IN CORDED OR CORDLESS

Proven power and performance in a highly portable configuration that delivers legendary Graco reliability to make sure you always get the job done faster and easier.



390 PC CORDED FEATURES:

DURABLE ENDURANCE PUMP

- Lasts 2X longer than competing pumps
- Long life V-Max Blue[™] Packings, Chromex rod, and hardened stainless steel cylinder
- Faster cleaning with the QuikAccess intake valve

EASY MAINTENANCE AND LESS CLOGGING

Easy Out™ Pump Filter

- Exclusive inside-out filtering process ensures a quality finish
- Large filtration area reduces tip clogs

ELIMINATE COSTLY DOWNTIME

ProConnect One-Part Pump Replacement System

 Pump swaps in minutes no tools, pins, or parts to lose

THE LONGEST LASTING DRIVE

Advantage Drive™

• Hardened steel gears provide extremely quiet operation and a lifetime warranty



THE MOST POWERFUL CORDLESS SPRAYER EVER BUILT **DELIVERS THE FREEDOM TO SPRAY EVERY JOB FASTER**

390 PC CORDLESS INCLUDES ALL 390 PC CORDED FEATURES PLUS:

PERFECT AIRLESS FINISH

RAC X™ Low Pressure (LP) Switchtip™

 Spray at lower pressure for extended battery runtime, less overspray, longest tip life

ULTIMATE POWER AND PORTABILITY Powered By DEWALT

- High capacity 6ah FlexVolt batteries —spray up to 6 gallons before charging
- Delivered complete with two batteries
- Fan-cooled fast charger—recharges battery in under 60 minutes

PROVEN PERFORMANCE AND EXTENDED BATTERY LIFE

Brushless DC Motor

- Powerful brushless DC motor provides extended battery run time
- Lightweight, compact design allows for increased portability
- Lightest professional electric sprayer on the market









YOU CHOOSE YOUR POWER SOURCE!



BOTH Deliver Superior Performance



BOTH Spray the Widest Range of Architectural Coatings



ULTRA 395 PC INCLUDES ALL FEATURES FROM THE 390 PC CORDED PLUS:

GET MORE WORK DONE

Durable TEFC DC Motor

High torque produces the most power possible for all painting applications

EVEN PRESSURE DELIVERY

SmartControl™

- · Constantly monitors performance and adjusts motor speed to match your tip size and spraying needs
- Ideal for RAC X[™] Low Pressure Spray Tips that deliver less ovespray. softer edges and longer tip life

ALL-DAY COMFORT AND CONTROL

New Contractor PC™ Spray Gun

- · Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit[™] adjustable trigger length
- · Complete no-tools gun rebuild in seconds with ProConnect







CONNECT

SMALL ELECTRIC MODELS	MAX TIP SIZE	MAX GPM	STAND	HI-BOY	LO-BOY
390 PC Corded	.021	.47	17C310	17 C313	
390 PC Cordless	.021	.47	25T804	25T805	
Ultra 395 PC Corded	.023	.54	17E844	17E846	17E845

FINISH EVERY JOB, EVERY DAY

Graco Endurance pumps deliver the industry's longest life and will require occasional service. Quickly changing a pump on the job can guarantee a productive day of spraying. Graco ProConnect makes pump swaps fast and easy.





Illtra 395 PC Stand 17F844





3) Remove hose and

FAST PUMP REMOVAL

- · 1-minute jobsite replacement
- · Keeps you spraying instead of waiting for service
- · No pins or parts to lose!





GRACO KEEPS YOU ON THE JOB SPRAYING!

From the longest life Endurance Pump or the Express Pump for lighter use. Graco's Pump Replacement System is the only one-part pump replacement solution on the market today. Eliminate downtime—pick up a spare today!

DEMAND GENUINE GRACO PARTS FOR THE LONGEST LIFE. ACCEPT NO SUBSTITUTES.

MIDSIZE ELECTRIC SPRAYERS INCREASED PRODUCTIVITY — UNMATCHED RELIABILITY

Graco's midsize electric airless sprayers make it easier to get more work done in a day with increased flow and production rates.

THE LIGHTEST WEIGHT 2-GUN **ELECTRIC AIRLESS SPRAYER**

ULTRA MAX II 490-595 PC PRO MODELS:



INCREASED SPRAY CONSISTENCY

SmartControl with Digital Display

- Even pressure delivery on every job
- Constantly monitors performance and adjusts motor speed to match your tip size and spraying needs



MIDSIZE ELECTRIC MODELS

Ultra Max II 490 PC Pro Ultra Max II 495 PC Pro

Ultra Max II 595 PC Pro

ALL-DAY COMFORT AND CONTROL

Contractor PC Spray Gun

- Lightest weight gun in its class
- Up to 50% lighter trigger pull force

GET MORE WORK DONE

MaxPower™ Motor and **Advantage drive**

· Creates more torque and delivers maintenance-free performance

FastFlush™ High-Flow Cleaning System

MAX TIP SIZE

.023

.025

.027

MAX GPM

.54

.60

.70

STAND

17E855

 4X faster cleaning with ½ the water

DURABLE ENDURANCE PUMP

- Lasts 2X longer than competing pumps
- Long life V-Max Blue[™] Packings, Chromex rod, and hardened stainless steel cylinder
- Faster cleaning with the QuikAccess intake valve

THE LONGEST LASTING DRIVE

Advantage Drive™

 Hardened steel gears provide extremely quiet operation and a lifetime warranty

EASY MAINTENANCE AND LESS CLOGGING

Easy Out™ Pump Filter

- Exclusive inside-out filtering process ensures a quality finish
- · Large filtration area reduces tip clog

ELIMINATE COSTLY DOWNTIME

ProConnect One-Part Pump Replacement System

 Pump swaps in minutes no tools, pins, or parts to lose

EASY TRANSPORT

- Only 34 lbs (Stand model)
- Kickstand for easy one-person bucket changes (Hi-Boy only)







ULTRA MAX II 650 PC PRO:

INCLUDES ALL FEATURES FOUND ON 490-595 PC PRO MODELS,

PLUS

DURABLE ENDURANCE PUMP

Endurance Piston Pump

- · Lasts 2X longer than competing pumps
 - Chromex piston rod with longer stroke
 - · Chrome plated stainless steel sleeve
 - V-Max Blue[™] packings
- · Larger intake to handle heavier coatings

ProConnect

· Eliminate downtime with fast and easy on-the-job repair



2-GUN CAPABILITY

less clogging

2-Hose Connection Manifold

- Supports up to .019" tips
- EasyOut filter provides easy maintenance and



Ready to Spray: Complete with Contractor PC Spray Gun, 50 ft Blue Max II Hose, and RAC X SwitchTip

MIDSIZE ELECTRIC MODELS	MAX TIP SIZE	MAX GPM	HI-BOY	LO-BOY
Ultra Max II 650 PC Pro	.029 in	.80	19Y128	19Y128

CHOOSE THE RIGHT SERIES FOR ALL YOUR APPLICATIONS

Graco's large electric sprayers deliver the highest production rates to handle the most demanding jobs and applications.

Choose the Right Series of Large Electric Sprayers for Your Business

Only Graco is committed to professional painting contractors by offering three different series of large electric airless sprayers.



EVERYDAY RELIABILITY

Small Residential and Repainting Contractor

- Painting multiple days a week
- Typically working on smaller jobs
- Don't need a lot of extra features



WORK SMARTER, FINISH MORE JOBS

Large Residential and Commercial Contractor

- Painting every day frequently from job to job
- Tackling medium to large projects
- Requiring features to get you to the next jobsite faster



BEYOND JOBSITE TOUGH

Large Commercial and Industrial Contractor

- Painting continuously in less-than-ideal conditions
- Working on long-duration projects with large material volumes
- Require extreme durability and reliability





Ready to Spray: Complete with Contractor PC Spray Gun, 50 ft Blue Max II hose, and RAC X SwitchTip

STANDARD

STANDARD SERIES EVERYDAY RELIABILITY

Larger painting jobs demand the proven quality and performance of Graco's Standard Series large electric sprayers to deliver a job well done, every time.



DURABLE ENDURANCE PUMP

Endurance Chromex Piston Pump

- Lasts 2X longer than competing pumps
- Repack the pump in minutes with the new QuikPak Cartridge System
- Faster cleaning with the QuikAccess intake foot valve



PRECISION PRESSURE CONTROL

New SmartControl with ProGuard™ Protection System

- Lowest dead band at any pressure delivers a consistent spray fan without pressure fluctuation
- ProGuard prevents electrical damage from extreme jobsite power conditions
- WatchDog™ Pump Protection System automatically prevents pump damage if the material supply is too low



STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management App

- · Track every sprayer
- Know job progress
- Maximize uptime

THE LONGEST LASTING DRIVE

Advantage Drive

Hardened steel gears provide extremely quiet operation and a lifetime warranty

ALL-DAY COMFORT AND CONTROL

New Contractor PC Spray Gun

- · Lightest weight gun in its class
- Up to 50% lighter trigger pull force with E-Z Fit adjustable trigger length
- Complete no-tools gun rebuild in seconds with ProConnect cartridge

MAINTENANCE-FREE HIGH-PRESSURE DUMPING CAPABILITY

Heavy-Duty Prime Valve

FAST CLEANING NOW EVEN FASTER

New FastFlush 2 System

- Clean the pump 6X faster using 1/2 the water
- High-velocity fluid flow delivered with 60% higher motor speed

GET MORE WORK DONE

MaxPower Motor

- Proven performance for all painting applications
- High-torque brushless design with a Lifetime Warranty

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Filters

- Exclusive inside-out filtering process ensures a quality finish
- Vertical design for less mess



LARGE ELECTRICS	MAX TIP SIZE	MAX GPM	LO-BOY	HI-BOY
Ultra Max II 695	.031	.95	17E572	17E574
Ultra Max II 795	.033	1.10		17E579
Ultra Max II 1095	.035	1.20		17E583
Ultra Max II 1595	.039	1.35		17E589

PROCONTRACTOR SERIES



WORK SMARTER, FINISH MORE JOBS

The ProContractor Series is designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



SUPERIOR PUMP LIFE

New Endurance Vortex MaxLife Piston Pump

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- Lasts 6X longer between repacks with innovative MaxLife technology
- · Repack pump in minutes with new QuikPak cartridge repair system



ELIMINATE COSTLY DOWNTIME

ProConnect 2 Pump **Replacement System**

 Exchange pump in minutes pinless design needs no tools



EASY HOSE MANAGEMENT

QuikReel Hose Management System

- · Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel



DURABLE FILTRATION

Crushproof Inlet Strainer

• Stands up to harsh impacts to maintain flow through filter



all Standard Series features:

- **NEW** BlueLink Job and Sprayer Management App

- **NEW** Contractor PC Spray Gun
- Easy Out Filter Manifold
- Precision Advantage Drive
- MaxPower Motor
- Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design



ProContractor Series sprayers also include

- **NEW** SmartControl with ProGuard
- **NEW** FastFlush 2





IronMan Series electric sprayers are built to routinely handle the rugged demands of large commercial and industrial jobs — day in and day out.



IronMan Series sprayers also include all Standard Series features:

- **NEW** BlueLink Job and Sprayer Management App
- NEW SmartControl with ProGuard
- **NEW** FastFlush 2
- NEW Contractor PC Spray Gun
- Easy Out Filter Manifold
- Precision Advantage Drive
- MaxPower Motor
- Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design



THE LONGEST LIFE EVER

New Endurance Vortex MaxLife Extreme Piston Pump

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- · Oversized passages for high-velocity flow to rotate rod for even wear
- 6X more gallons sprayed between repacks. Extreme rod extends pump rod life by 3X
- Graco exclusive abrasion-resistance composite delivers the most durable wear surface
- Repack pump in minutes with new QuikPak cartridge repair system



ELIMINATE COSTLY DOWNTIME

ProConnect 2 Pump Replacement System

 Exchange pump in minutes pinless design needs no tools



NEVER HAVE A FLAT AGAIN

Flat Proof Tires

· Tires can't be punctured by nails, screws, or other sharp debris



DURABLE FILTRATION

Crushproof Inlet Strainer

 Stands up to harsh impacts to maintain filtering and flows







ACCESSORIES

SPEND LESS TIME, MAKE MORE MONEY

Maximize your performance and get to the next job faster by customizing your sprayer with proven Graco accessories.



Contractor PC Contractor PC Compact 17Y042 19Y349



Contractor FTx[®]

AIRLESS SPRAY GUNS

- The Contractor PC guns are the industry's lightest and most comfortable guns delivering contractor-preferred Graco durability
- Choose between the Standard or NEW Compact size to experience the lightest weight, 50% lighter trigger pull force
- Fast, on-the-job gun rebuilds with the exclusive ProConnect replacement cartridge

PART #	DESCRIPTION
19Y349	Contractor PC Compact Gun (2-finger trigger) with RAC X LTX 517 Tip and Guard
19Y350	Contractor PC Compact Gun (2-finger trigger) with RAC X LP 517 Tip and Guard
19Y443	Contractor PC Compact Gun (2-finger trigger) with RAC X FFLP 210 Tip and Guard
17Y042	Contractor PC Gun (adjustable trigger) with RAC X LTX 517 Tip and Guard
17Y043	Contractor PC Gun (adjustable trigger) with RAC X LP 517 Tip and Guard
17Y470	Contractor PC Gun (adjustable trigger) with RAC X FFLP 210 Tip and Guard
288429	FTx Gun (2-finger trigger) with RAC X 515 Tip and Guard
288430	FTx Gun (4-finger trigger) with RAC X 515 Tip and Guard
246240	Silver Plus Gun with RAC X 517 Tip and Guard
246468	Flex Plus™ Gun with RAC X 517 Tip and Guard
287023	3 ft (0.9 m) Pole Gun with Contractor Inline Valve, CleanShot Valve, RAC X 517 Tip and Guard
287024	6 ft (1.8 m) Pole Gun with Contractor Inline Valve, CleanShot Valve, RAC X 517 Tip and Guard

Roller Handle Assembly 18 in (457 mm) 24W130

JetRoller System, 9 in (230 mm) Contractor In-Line Valve 24U172

JETROLLER™ SYSTEMS* AND ACCESSORIES

*All systems include Roller Handle Assembly, RAC X Guard, 12 in (305 mm) Roller Handle Extension, 20 in (51 cm) Heavy-Duty Extension, and CleanShot[™] Shut-Off Valve. (Roller cover not included.)

PART #	DESCRIPTION
24U170	*9 in (230 mm) Roller Assembly with RAC X LTX 721 Tip
24U172	*9 in (230 mm) Roller Assembly, RAC X LTX 721 Tip and Contractor In-Line Valve
24V926	*9.5 in (241 mm) Roller Assembly, RAC X LTX 721 Tip and Contractor In-Line Valve
24W128	*18 in (457 mm) Roller Assembly, RAC X WR 1223 Tip and Contractor In-Line Valve
24V829	9 in (230 mm) Roller Handle Assembly
24V937	9.5 in (241 mm) Roller Handle Assembly (Canada)
24W130	18 in (457 mm) Roller Handle Assembly
24V832	12 in (305 mm) Roller Handle Extension
224399	45° Adapter
238359	3/16 in x 6 ft (4.8 mm x 1.8 m) BlueMax II Whip Hose



FOR PART NUMBERS AND MORE DETAILS **ON ALL AIRLESS ACCESSORIES:**

Visit graco.com/accessories or ask your **local authorized Graco Distributor**



BATTERY & CHARGER

PART #	DESCRIPTION				
20A162	DeWALT 20V/60V MAX* FlexVolt 6ah Battery				
20A165	DEWALT Fan-Cooled Fast Charger				



DIGITAL & LED DISPLAYS

- Simple to use and easy to install display featuring pressure display and error code self diagnostics
- Bright easy-to-read LED display shows pressure readout, job/lifetime, gallon counter and self diagnostics

PART #	DESCRIPTION
287098	Digital Display for Ultra 395 PC — Does not include BlueLink
287904	Digital Display for Ultra Max II 490/495/595/650 PC Pro — Does not include BlueLink
17H886	LED Display for SmartControl fits Ultra Max II 695/795/1095/1595 Fits all SmartControl models. Includes BlueLink and WatchDog feature. Only available on existing models built with BlueLink.



- Ideal for spraying small amounts of material
- Smooth inside cleans up fast
- Attaches to sprayer in place of inlet suction tube



SIPHON KITS

HOPPER KITS

• Pump materials directly from containers

PART #	DESCRIPTION
17H171	1.5 Gallon (5.7 liter) Hopper Assembly, lid included (390 PC-595 PC Pro)
246386	5 Gallon (18.9 liter) Siphon Set (390-595)
248216	5 Gallon (18.9 liter) Siphon Set (650/695/795/1095/1595)
248317	30/55 Gallon (113.5/208 liter) Siphon Set (650/695/795/1095/1595)







FILTERS AND INLET STRAINER

PART #	DESCRIPTION
287032	60 Mesh FTx/Contractor/Contractor PC Gun Filter
287033	100 Mesh FTx/Contractor/Contractor PC Gun Filter
19Y355	60 Mesh Contractor PC Compact Gun Filter
19Y356	100 Mesh Contractor PC Compact Gun Filter
246425	Easy Out Filters - Short, Gray, 30 Mesh (390-650)
246384	Easy Out Filters - Short, Black, 60 Mesh (390-650)
246382	Easy Out Filters - Short, Blue, 100 Mesh (390-650)
246383	Easy Out Filters - Short, Red, 200 Mesh (390-650)
246385	Inlet Strainer (390-595)
244071	Easy Out Filters - Long, Gray, 30 Mesh (695-1595)
244067	Easy Out Filters - Long, Black, 60 Mesh (695-1595)
244068	Easy Out Filters - Long, Blue, 100 Mesh (695-1595)
244069	Easy Out Filters - Long, Red, 200 Mesh (695-1595)
235004	Inlet Strainer – Standard Series (650)
189920	Inlet Strainer – Standard Series (695-1595)
15V573	Crushproof Inlet Strainer — ProContractor and IronMan Series (695-1595)
287253	Parts ToolBox (695-1595)



FLAT PROOF TIRES

Never Have a Flat Again

• Tires can't be punctured by nails, screws, or other sharp debris



SPRAY WITH CONFIDENCE

Finish Every Job, Every Time

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again. Depending on the sprayer you purchase:

Receive up to 70% OFF the list price of an Endurance Pump OR — Receive a FREE Repair Kit if you'd rather repack your own pump.

Follow the registration instructions included with your sprayer.



For more information visit graco.com/endurance



INDUSTRY-LEADING WARRANTY PROTECTION

Every Graco electric sprayer is backed by the industry's best warranty coverage.

LIFETIME ELECTRIC MOTOR WARRANTY*

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

LIFETIME DRIVETRAIN WARRANTY*

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*



Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

3-YEAR DEWALT DEFECT WARRANTY*

Coverage against defects in materials and workmanship on batteries and charger

*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics

		390 PC Corded	390 PC Cordless	ULTRA 395 PC	ULTRA MAX II 490 PC Pro	ULTRA MAX II 495 PC PRO	ULTRA MAX II 595 PC PRO	ULTRA MAX II 650 PC PRO
	Maximum Tip Size	0.021	0.021	0.023	0.023	0.025	0.027	0.029
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
SPECIFICATIONS	Maximum gpm (lpm)	0.47 (1.8)	0.47 (1.8)	0.54 (2.0)	0.54 (2.0)	0.60 (2.3)	0.70 (2.6)	0.80 (3.0)
	Motor hp	5/8 DC	5/8 DC	7/8 TEFC DC	1.0 Brushless DC	1.2 Brushless DC	1.6 Brushless DC	1.8 Brushless DC
	Weight lb (kg)	33 lbs (15 kg)	31 (14) Stand	42 (19) Stand	34 (15) Stand	34 (15) Stand	72 (33) Hi-Boy	77 (35) Hi-Boy
	Gun Support: 1 Gun 2 Gun	0.021 _	0.021 –	0.023	0.023 _	0.025 -	0.027 -	0.029 0.019













		SMALL ELECT	RICS			MIDSIZE E	LECTRICS	
MODEL	Cart Design– Part Number	Stand 17C310 Hi-Boy 17C313	Stand - 25T804 Hi-Boy - 25T805	Stand 17E844 Hi-Boy 17E846 Lo-Boy 17E845	Stand 17E852 Hi-Boy 17E854 Lo-Boy 17E853	Stand 17E855 Hi-Boy 17E857 Lo-Boy 17E856	Hi-Boy 17E859 Lo-Boy 17E858	Hi-Boy 19Y128 Lo-Boy 19Y129
	Endurance Pump	•	•	•	•	•	•	•
	Motor	DC	Brushless DC	TEFC DC	MaxPower Brushless	MaxPower Brushless	MaxPower Brushless	MaxPower Brushless
	Advantage Drive	•	•	•	•	•	•	•
	Easy Out (60 Mesh)	•	•	•	•	•	•	•
	SmartControl	Electronic	Electronic	•	•	•	•	•
RES	Digital Display				•	•	•	•
FEATURES	Fast Flush				•	•	•	•
	ProConnect	•	•	•	•	•	•	•
	Gun	FTx	FTx	Contractor PC				
	Tip	RAC X LTX 515	RAC X LP 515	RAC X LTX 517				
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4" x 50' (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless
	Power Source	Corded	(2) DEWALT 60V Max FlexVolt 6.0 ah Batteries and (1) Fan-Cooled Fast Charger	Corded	Corded	Corded	Corded	Corded
REPLACEMENT PUMPS	Endurance Pump	17C487	17C487	17C487	17C487	17C487	17C487	19Y298
REPLACEME Pumps	Express Pump	17J552	17J552	17J552	17J552	17J552	17J552	_
	Repair Kit	18B260	18B260	18B260	18B260	18B260	18B260	18B260
WEAR PARTS	Rod	24W617	24W617	24W617	24W617	24W617	24W617	19Y268
R P	Cylinder	24W619	24W619	24W619	24W619	24W619	24W619	19Y267
WE	Sleeve	_	_	_	_	_	_	19Y269
	Intake Seat Kit	246429	246429	246429	246429	246429	246429	_
MANUAL	Operation/Parts	334567	3A8179	3A6519	3A6491	3A6491	3A6491	3A6491



SERIES TYPE

NEW! Endurance Pump

Advantage Drive Easy Out (60 Mesh) NEW! SmartControl NEW! FastFlush 2

WatchDog QuikReel

ProConnect 2

NEW! Flat Proof Tires

Replacement Pump

Repair Kit Rod

Sleeve

Pump

Intake Seat Kit

Operation and Parts

WEAR PARTS

NEW! Crushproof Inlet Strainer NEW! Contractor PC Gun

NEW! BlueLink Management App MaxPower Brushless DC Motor (hp)

Cart Design -Part Number

Sleeve

Removal

		ULTRA MAX II 695	
SPECIFICATIONS	Maximum Tip Size 0.031		
	Maximum psi (bar)	3300 (227)	
	Maximum gpm (lpm)	0.95 (3.6)	
	Weight lb (kg)	93 (42) Standard	
	Gun Support: 1 Gun 2 Guns 3 Guns	0.031 0.023 —	

ULTRA MAX II 795
0.033
3300 (227)
1.10 (4.1)
98 (44) Standard
0.033 0.025 0.019



STANDARD

Hi-Boy-17E574

Lo-Boy-17E572 Endurance

Chromex

Hardened SST

QuikChange

(2.0)

RAC X LTX 517

1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless

16Y598

17H838

248206

248209

239922

3A6342

3A6584



PROCONTRAC 17E577






01-8		0130	
PROCONTRACTOR	STANDARD	PROCONTRACTOR	
17E577	17E579	17E582	
Endurance Vortex	Endurance	Endurance Vortex	
MaxLife	Chromex	MaxLife	
MaxLife	Hardened SST	MaxLife	
ProConnect 2	QuikChange	ProConnect 2	
Vortex	•	Vortex	
•	•	•	
• (2.0)	• (2.2)	• (2.2)	
•	•	•	
•	•	•	
•	•	•	
•	•	•	
•	•	•	
•		•	
•		•	
•		•	
•	•	•	
RAC X LTX 517	RAC X LTX 517	RAC X LTX 517	
1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	
17H823	16Y598	17H823	
17H841	17H838	17H841	
17H876	248206	17H876	
17H864	248209	17H864	
239922	239922	239922	
3A6342	3A6342	3A6342	
3A6583	3A6584	3A6583	

ULTRA MAX II 1098	5
0.035	
3300 (227)	
1.20 (4.5)	
120 (55) Standard	
0.035 0.027 0.021	
6.7	









ULTRA MAX II 1595

0.039 3300 (227)



The second	Oles	S. 10	The second	Ohar	
STANDARD	PROCONTRACTOR	IRONMAN	STANDARD	PROCONTRACTOR	IRONMAN
17E583	17E585	17E586	17E589	17E596 (Canada) 17E593	17E594
Endurance	Endurance Vortex	Endurance Vortex	Endurance	Endurance Vortex	Endurance Vortex
Chromex	MaxLife	MaxLife EXTREME	Chromex	MaxLife	MaxLife EXTREME
Hardened SST	MaxLife	MaxLife	Hardened SST	MaxLife	MaxLife
QuikChange	ProConnect 2	ProConnect 2	QuikChange	ProConnect 2	ProConnect 2
•	Vortex	Vortex	•	Vortex	Vortex
•	•	•	•	•	•
• (2.4)	• (2.4)	• (2.4)	• (2.8)	• (2.8)	• (2.8)
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
	•			•	
	•	•		•	•
		•			•
	•	•		•	•
•	•	•	•	•	•
RAC X LTX 517					
1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless	1/4 in x 50 ft (6.4 mm x 15 m) Blue Max II Airless
16Y706	17H824	17H826	16Y706	17H824	17H826
17H839	17H842	17H843	17H839	17H842	17H843
248207	17H877	17H879	248207	17H877	17H879
248210	257031	257031	248210	257031	257031
244199	244199	17H888	244199	244199	17H888
3A6342	3A6342	3A6342	3A6342	3A6342	3A6342
3A6584	3A6583	3A6583	3A6584	3A6583	3A6583





Every Graco purchase comes with A+ Customer Service.

Questions? Call (844) 241-9499

For more information visit graco.com

©2021 Graco Inc. 344381 Rev. F 9/21 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. DaWALT and the DaWALT Logo are trademarks of DaWALT Industrial Tool Co. and are used under license. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents.